

| L Number | Hits   | Search Text   | DB  | Time stamp       |
|----------|--------|---|---|------------------|
| 1        | 4      | cdr near ic   | USPAT;<br>US-PGPUB                                      | 2004/09/29 16:29 |
| 2        | 22051  | optical near3 module  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:30 |
| 3        | 146452 | phase near3 shift\$4 or (clock with (data near2 recovery near ic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:42 |
| 4        | 37585  | jitter\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:42 |
| 5        | 6      | phase near3 shift\$4 and (clock with (data near2 recovery near ic))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:46 |
| 6        | 626    | (optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 7        | 68357  | photodiode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 8        | 148    | ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:48 |
| -        | 13     | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.  | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:07 |
| -        | 142579 | (capacitance and amplif\$7) or cluster\$1   | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:08 |
| -        | 3      | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.) and ((capacitance and amplif\$7) or cluster\$1) | USPAT;<br>US-PGPUB                                      | 2004/09/29 15:51 |

| L Number | Hits   | Search Text   | DB  | Time stamp       |
|----------|--------|---|---|------------------|
| 1        | 4      | cdr near ic   | USPAT;<br>US-PGPUB                                      | 2004/09/29 16:29 |
| 2        | 22051  | optical near3 module  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:06 |
| 3        | 146452 | phase near3 shift\$4 or (clock with (data near2 recovery near ic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:13 |
| 4        | 37585  | jitter\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:42 |
| 5        | 6      | phase near3 shift\$4 and (clock with (data near2 recovery near ic))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:40 |
| 6        | 626    | ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 7        | 68357  | photodiode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 8        | 148    | ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))) ) and photodiode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:48 |
| 9        | 19     | (clock with (data near2 recovery near ic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:38 |
| 10       | 13     | ((clock with (data near2 recovery near ic))) not (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:13 |
| 11       | 3268   | (clock with (data near2 recovery))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:40 |
| 12       | 866    | phase near3 shift\$4 and ((clock with (data near2 recovery)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:41 |
| 13       | 43     | (phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:41 |

|    |         |  |   |                  |
|----|---------|--|---|------------------|
| 14 | 3       | ((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) not ("19" or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))) or ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:42 |
| 15 | 19      | ((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) not (((clock with (data near2 recovery near ic))) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))) or ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:54 |
| 16 | 632     | jitter\$4 near3 bandwidth  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:55 |
| 17 | 68      | (jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:55 |
| 18 | 66      | ((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))))               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:01 |
| 19 | 42286   | amplif\$7 near voltage   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:01 |
| 20 | 126761  | amplif\$7 near3 voltage  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 21 | 921254  | amplif\$7  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 22 | 45      | ((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) and amplif\$7 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 23 | 1674982 | optical  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:06 |

|    |        |   |   |                  |
|----|--------|---|---|------------------|
| 24 | 21     | (((((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))))) and amplif\$7 ) and optical | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:06 |
| -  | 13     | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.  | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:07 |
| -  | 142579 | (capacitance and amplif\$7) or cluster\$1   | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:08 |
| -  | 3      | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.) and ((capacitance and amplif\$7) or cluster\$1)   | USPAT;<br>US-PGPUB                                      | 2004/09/29 15:51 |

| L Number | Hits   | Search Text   | DB  | Time stamp       |
|----------|--------|---|---|------------------|
| 1        | 4      | cdr near ic   | USPAT;<br>US-PGPUB                                      | 2004/09/29 16:29 |
| 2        | 22051  | optical near3 module  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:06 |
| 3        | 146452 | phase near3 shift\$4 or (clock with (data near2 recovery near ic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:13 |
| 4        | 37585  | jitter\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:42 |
| 5        | 6      | phase near3 shift\$4 and (clock with (data near2 recovery near ic))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:40 |
| 6        | 626    | ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 7        | 68357  | photodiode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:47 |
| 8        | 148    | ((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))) ) and photodiode  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 16:48 |
| 9        | 19     | (clock with (data near2 recovery near ic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:38 |
| 10       | 13     | ((clock with (data near2 recovery near ic))) not (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic)))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:13 |
| 11       | 3268   | (clock with (data near2 recovery))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:40 |
| 12       | 866    | phase near3 shift\$4 and ((clock with (data near2 recovery)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:41 |
| 13       | 43     | (phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:41 |

|    |         |   |   |                  |
|----|---------|---|---|------------------|
| 14 | 3       | ((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) not ("19" or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:42 |
| 15 | 19      | ((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) not (((clock with (data near2 recovery near ic))) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:54 |
| 16 | 632     | jitter\$4 near3 bandwidth   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:55 |
| 17 | 68      | (jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 17:55 |
| 18 | 66      | ((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))))               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:01 |
| 19 | 42286   | amplif\$7 near voltage  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:01 |
| 20 | 126761  | amplif\$7 near3 voltage   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 21 | 921254  | amplif\$7   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 22 | 45      | ((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) and amplif\$7 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 18:02 |
| 23 | 1674982 | optical   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 19:05 |

|    |      |  |  |                  |
|----|------|--|--|------------------|
| 24 | 21   | (((((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))))) and amplif\$7 ) and optical   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | 2004/09/29 18:06 |
| 25 | 8067 | ((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB<br>USPAT | 2004/09/29 18:53 |
| 26 | 1164 | jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.)  | USPAT  | 2004/09/29 18:58 |
| 27 | 0    | jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.) and (optical near3 module) and phase and clock and amplif\$7 and data near2 recovery   | USPAT  | 2004/09/29 18:55 |
| 28 | 4    | jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.) and (optical near3 module) and phase and clock and amplif\$7   | USPAT  | 2004/09/29 19:03 |
| 29 | 1148 | (jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.)) not (((((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))))) and amplif\$7 ) or (((clock with (data near2 recovery near ic))) not (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) | USPAT  | 2004/09/29 19:05 |
| 30 | 8    | jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.) and (optical near3 module) and phase and clock and amplif\$7   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB<br>USPAT | 2004/09/29 19:03 |
| 31 | 4    | (jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.) and (optical near3 module) and phase and clock and amplif\$7 ) not (jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.) and (optical near3 module) and phase and clock and amplif\$7 )  | US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                    | 2004/09/29 19:03 |

|    |        |   |   |                  |
|----|--------|---|---|------------------|
| 32 | 1148   | (jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.)) not (((((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) and amplif\$7 ) or (((clock with (data near2 recovery near ic))) not (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic))))              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 19:05 |
| 33 | 244    | optical and ((jitter\$4 and (((250/214r,214A) or (398/140,141,182,202,214) or (375/371,373,375,376)).CCLS.)) not (((((jitter\$4 near3 bandwidth) and ((clock with (data near2 recovery)))) not (((phase near3 shift\$4 and ((clock with (data near2 recovery)))) and (optical near3 module)) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) and amplif\$7 ) or (((clock with (data near2 recovery near ic))) not (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) or ((clock with (data near2 recovery near ic))) or (((optical near3 module) and (phase near3 shift\$4 or (clock with (data near2 recovery near ic))) ) and photodiode) or (phase near3 shift\$4 and (clock with (data near2 recovery near ic)))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/09/29 19:07 |
| -  | 13     | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.  | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:07 |
| -  | 142579 | (capacitance and amplif\$7) or cluster\$1   | USPAT;<br>US-PGPUB                                      | 2004/09/29 12:08 |
| -  | 3      | ((("4,706,123") or ("4,839,735") or ("5,666,567") or ("5,712,682") or ("5,812,191") or ("5,867,215") or ("5,887,204") or ("6,137,533") or ("5,463,421") or ("5,892,541") or ("6,452,633") or ("6,529,241") or ("6,606,121")).PN.) and ((capacitance and amplif\$7) or cluster\$1)   | USPAT;<br>US-PGPUB                                      | 2004/09/29 15:51 |